



Section of the vessel with internal finned Heat exchanger




FIG. 3c

Atty. Dkt. No. 2035.749 Inventors: WISNIEWSKI e

The state of the s 



Atty. Dkt. No. 2035.749 Inventors: WISNIEWSKI et





FIG. 4



Atty. Dkt. No. 2035.749 Inventors: WISNIEWSKI et al






FIG. 5



Atty. Dkt. No. 2035.749
Inventors: WISNIEWSKI et






FIG. 6



Atty. Dkt. No. 2035.74
Inventors: WISNIEWSKI (1.




FIG. 7





FIG. 8







FIG. 9








FIG. 10

The first that the fi

The first through the fact that

Atty. Dkt. No. 2035.749

Inventors: WISNIEWSKI et al






FIG. 12c







FIG. 13



Atty. Dkt. No. 2035.749
Inventors: WISNIEWSKI et al.






FIG. 14a




FIG. 14b



Atty. Dkt. No. 2035.749
Inventors: WISNIEWSKI et al.






FIG. 15b






FIG. 15c




FIG. 15d



Atty. Dkt. No. 2035.749 Inventors: WISNIEWSKI et al.






FIG.16a






FIG.16b





614

FIG. 17a




FIG. 18a





FIG. 18b






FIG. 18d




FIG. 18e




FIG. 18f



Atty. Dkt. No. 2035.7 Inventors: WISNIEWSKI: al.

18/18




FIG. 20